

深圳市百瑞琪医疗器械有限公司
深圳市百瑞琪仪器设备有限公司
SHENZHEN BI-RICH MEDICAL DEVICES CO.,LTD



工厂地址:广东省深圳市宝安区新桥街道岗仔大街10号
Address: The 1st building of No. 10, Xinqiao GangZai Road,
Xinqiao Street, Bao'An District ,518125, Shenzhen
City,Guangdong Province, P. R. China

Contact: Jackie Wu Mobile: +86 136 3260 4928 (Wechat)
Tel : +86 755 2746 4589 +86 755 2746 4586
Fax : +86 755 2746 4595
E-mail : jackie.wu@bi-rich.com
Skype :Jack.wu7806
Website : www.bi-rich.com www.bi-rich.cn



深圳市百瑞琪医疗器械有限公司
SHENZHEN BI-RICH MEDICAL DEVICES CO.,LTD



CE₁₆₃₉ FDA
ISO 13485: 2016

Professional respiratory manufacturer, never stop for better quality!

Shenzhen Bi-rich is committed to human respiratory disease therapy!

Designed with our patients in mind, Shenzhen Bi-rich Medical Devices Co., Ltd aims to provide efficient aerosol treatment for worldwide patients with a better life .
Through professional technology background with the new trends of innovative functions, we have developed unique series of products to offer respiratory patients the best treatment.

We specialize in:

- Nebulizer (own production nebulizer motor, Mask Kit)
- Phlegm Suction Machine
- CPAP BIPAP
- Oxygen concentrator

Our Factory: 6 workshops with 200 employees

Our Capacity: Over 8000pcs compressor nebulizer per day

Our Market: Over 150 distributors in over 80 countries choose Bi-rich

Our Policy: Quality first, Customer First, Service First, Sustainable Business First

We are keeping and following the vision of innovation, quality, reputation and win-win developing together with our partners in the same value chain, provided welfare more patients in the society continually. Bi-rich is Bilateral rich, Let's start from here .

company profile



Company Building



Reception



Public Office



Conference Room



Sample Room



R&D Office

company profile



Nebulizer Assembling Workshop



IQC



FQC



OQC



Laboratory



Material Warehouse



Finished Warehouse



Motor Workshop



Injection Workshop



Mould Workshop



Extrusion Workshop



Mask Kit Packing



Coil Winding

ISO13485:2016 Quality System CE1639 Certificate


CE1639



ISO13485



U.S. FDA
Inspection Report



Model No. : BR-2XXXSeries

Product Name : Sleep Apnoea Breathing Therapy Equipment



Features:

- 1.3.5" TFT screen and back light design for easy night operation
- 2.Wide pressure range from 4~20/25 cmH₂O can be freely set
- 3.The function of Ramp allow patients to fall asleep more comfortably
- 4.Recording equipment working time and therapy time
- 5.Automatic leak compensation to ensure that therapy
- 6.Integrated designed with heated humidifier

Specifications :

- 1.Power: 100-240 VAC,50/60 Hz,1.6A
- 2.Pressure Range: 4-20/25 cmH₂O
- 3.Working Mode:REF.table1
- 4.Noise:≤40 dBA (10cmH₂O/CPAP)
- 5.Data Storage Capacity:> 1 year, Micro SD Card 8G
- 6.Product Size: 300 ×162X107 MM (with Humidifier)
- 7.Unit Weight: 1.75 KG
- 8.Operating Temperature:5℃~35℃
- 9.Operating Humidity: 15%R.H.~93%R.H.,(No condensation)
- 10.Accessories:Mask, Humidifier(270mL), Carrying Case, Filter, SD Card , Power Cord
- 11.Transportation and storage conditions: -20℃~60℃, 10%R.H.~93%R.H.
- 12.Operating atmospheric pressure: 70kPa~106kPa

Model No	Working mode
BR-20A	CPAP / Auto CPAP
BR-25A	CPAP / Auto CPAP
BR-20ST	CPAP / Auto CPAP / S / Auto S / S/T / T
BR-25ST	CPAP / Auto CPAP / S / Auto S / S/T / T

(table1)

Model No. : BR-OX1L

Product Name: Oxygen concentrator

Features:

- 1 liters of oxygen production
- Oxygen density up to 90% (V/V)
- Low noise, quiet oxygen production

Specifications:

- 1.Power supply: 230V/50Hz
- 2.Rated power: 120W
- 3.Oxygen supply flow: 1 (L/min)
- 4.Outlet pressure during oxygen production: 30~50kPa
- 5.Noise:≤55dB(A)
- 6.Dimensions:240X240X324 MM
- 7.weight: 7 KG
- 8.Operating temperature/humidity: 5℃~40℃, ≤80%R.H.
- 9.Transportation and storage temperature: -20℃~60℃, 10%R.H.~93%R.H.
- 10.Operating atmospheric pressure: 86kPa~106kPa

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 27X27X36CM(1pcs/ carton)
- Gross Weight: 8 KG
- 1 x 20" FT Container:756 pcs

Model No. : BR-OX3L

Product Name: Oxygen concentrator

Features:

- 1-3 liters of large-capacity oxygen production
- Oxygen density 90~96%(V/V)
- Large touch screen display
- Low noise, quiet oxygen production
- With nebulization function

Specifications:

- 1.Power supply: 230V/50Hz
- 2.Rated power: 230W
- 3.Oxygen supply flow: 0.5~3 (L/min)
- 4.Outlet pressure during oxygen production: 30~50kPa
- 5.Oxygen concentration alarm: <82%
- 6.High temperature alarm: >80℃
- 7.Noise:≤58dB(A)
- 8.Atomization amount:≥0.2mL/min
- 9.Gas flow rate during atomization:≥3L/min
- 10.Dimensions:362X240.4X458.3 MM
- 11.weight:11.8 KG
- 12.Operating temperature/humidity: 5℃~40℃, ≤80%R.H.
- 13.Transportation and storage temperature: -20℃~60℃, 10%R.H.~93%R.H.
- 14.Operating atmospheric pressure: 86kpa~106kPa

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 45X33X56CM(1pcs/ carton)
- Gross Weight: 13.0KG
- 1 x 20" FT Container:340pcs



Product display

Product display



Model No. : BR-OX5L

Product Name: Oxygen concentrator

Features:

- 1-5 liters of large-capacity oxygen production
- Oxygen density up to 90~96%(V/V)
- Large touch screen display
- Low noise, quiet oxygen production
- With Nebulization function

Specifications:

- 1.Power supply: 230V/50Hz
- 2.Rated power: 300W
- 3.Oxygen supply flow: 0.5~5 (L/min)
- 4.Outlet pressure during oxygen production: 30~50kPa
5. Air flow rate during nebulization:≥3L/min
- 6.Oxygen concentration alarm: <82%
- 7.High temperature alarm: >80℃
- 8.Noise:≤60dB(A)
- 9.Nebulization Rate:≥0.2mL/min
- 10.Dimensions:400X290X564 MM
- 11.weight:15 KG
- 12.Operating temperature/humidity: 5℃~40℃, ≤80%R.H.
- 13.Transportation and storage temperature: -20℃~60℃, 10%R.H.~93%R.H.
- 14.Operating atmospheric pressure: 86kPa~106kPa

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 46X35X60CM(1pcs/ carton)
- Gross Weight: 16 KG
- 1 x 20" FT Container:288pcs



Model No. : BR-SM153

Product Name: Phlegm Suction Machine

Features:

- Small size, easy to carry, convenient for outing
- One buttons for easy operation
- Hidden buried liquid storage bottle
- Strong inner core, long-lasting operation

Specifications:

- 1.Input rating: AC 230V, 50Hz , 0.7A
- 2.Max.vacuum level: 87 kPa
- 3.Range of negative pressure:20kPa~ max.vacuum level
- 4.Pumping Flow: ≥11 L/MIN
- 5.Reservoir volume: 1100ML
- 6.Noise: ≤60dB(A) (at 1 meter distance)
- 7.Unit Size: 280 x 195 x 245 MM
- 8.Unit Weight: 3.0 KG
- 9.With a medium vacuum/low flow and fashionable stylish
- 10.Bi-rich patented products
- 11.Operating temperature/humidity: 5℃~40℃, 15%~93%R.H.
- 12.Transportation and storage conditions: -20℃~60℃, ≤90%R.H.
- 13.Operating atmospheric pressure: 70kPa~106kPa

Packing:

- Color giftbox+ paper inner support +Instruction manual
- Carton size: 48 x 35.5 x 30 CM (2pcs/ carton)
- Net Weight: 7.22 KGS Gross Weight: 8.05 KGS
- 1 x 20 TT Container: 1100 pcs

Model No. : BR-SM215

Product Name: Phlegm Suction Machine

Features:

- Small size, easy to carry, convenient for outing
- One buttons for easy operation
- Hidden buried liquid storage bottle
- Strong inner core, long-lasting operation

Specifications:

- 1.Input rating: AC 230V, 50Hz , 0.7A
- 2.Max.vacuum level: 87 kPa
- 3.Range of negative pressure:20kPa~ max.vacuum level
- 4.Pumping Flow: ≥11 L/MIN
- 5.Reservoir volume: 1100 ML
- 6.Noise:≤60dB(A) (at 1 meter distance)
- 7.Unit Size:257 x 164 x 231 MM
- 8.UnitWeight:3.2KG
- 9.With a medium vacuum/low flow and fashionable stylish
- 10.Bi-rich patented products
- 11.Operating temperature/humidity: 5℃~40℃, 15%~93%R.H.
- 12.Transportation and storage conditions: -20℃~60℃, ≤90%R.H.
- 13.Operating atmospheric pressure: 70kPa~106kPa

Packing:

- Color giftbox+ paper inner support +Instruction manual
- Carton size:41 x 35x56CM (4pcs/ carton)
- Net Weight: 15 KGS Gross Weight: 15.5 KGS
- 1 x 20 "FT Container: 1400 pcs



Model No. : BR-SM181

Product Name: Phlegm Suction Machine

Features:

- Small size, easy to carry, convenient for outing
- One buttons for easy operation
- Hidden buried liquid storage bottle
- Strong inner core, long-lasting operation

Specifications:

- 1.Input rating: AC 230V, 50Hz , 0.7A
- 2.Max.vacuum level: 87 kPa
- 3.Range of negative pressure:20kPa~ max.vacuum level
- 4.Pumping Flow: ≥11 L/MIN
- 5.Reservoir volume: 1100 ML
- 6.Noise:≤60dB(A) (at 1 meter distance)
- 7.Unit Size:293 x 192 x 245 MM
- 8.UnitWeight:3.0KG
- 9.With a medium vacuum/low flow and fashionable stylish
- 10.Bi-rich patented products
- 11.Operating temperature/humidity: 5℃~40℃, 15%~93%R.H.
- 12.Transportation and storage conditions: -20℃~60℃, ≤90%R.H.
- 13.Operating atmospheric pressure: 70kPa~106kPa

Packing:

- Color giftbox+ paper inner support +Instruction manual
- Carton size:47.2 x 34.7x57.6CM (4pcs/ carton)
- Net Weight: 14.2 KGS Gross Weight: 14.8 KGS
- 1 x 20 "FT Container: 1200 pcs



Product display

Product display

Model No. : BR-SP001**Product Name:**Spirometer**Features:**

- easy to use and clean
- containing mark clear to read,
- no breakage in the tube.
- Bellows and bite can be removed,
- Dual-use, inhale and exhale, adjustable flow

Specifications:

- 1.Minimum vital capacity measurement:600cc
- 2.Maximum vital capacity measurement value:1200cc
- 3.Dimension:151.7mm x 58.5 mm x 130.7mm
- 4.Weight:0.165KG

Packing:

- Giftbox+ Plastic bag protect + Instruction manual
- Gift Box:15x8.5x13.4cm
- Carton size: 46.5 X 28 X 45 CM(30pcs/ carton)
- Gross Weight: 4.95 KGS
- 1 X 20"FT Container :14400pcs

**Model No. : BR-H001****Product Name:**Humidifier**Features:**

- Good design
- White + transparent blue; black and red indicator light
- All plastic shell, good waterproof
- Provides relief from coughs, dry itchy skin, stinging eye, chapped lips and other effects caused by dry air.

Specifications:

- 1.Power: AC 100-240V 50/60Hz
- 2.Input Power :≤25W
- 3.Humidification amount: 3.8mL/min
- 4.Unit Size: 169 x 169 x 244mm
- 5.Unit Weight: 1.1 KG
- 6.Noise:≤40dB(A)
- 7.Timer from 1 to 8Hours
- 8.Tank capacity: 2.3L
- 9.Operating temperature: +5℃~40℃

Packing:

- Giftbox+ Plastic bag protect + Instruction manual
- Gift Box:20.7 x 20.7 x 25.8cm
- Carton size: 43.2 x 42.6 x 53.6 CM (8pcs/ carton)
- Gross Weight: 11.91KGS
- 1 X 20"FT Container :2280pcs

**Model No. : BR-SP002****Product Name:**Spirometer**Features:**

- easy to use and clean
- containing mark clear to read,
- no breakage in the tube.
- Bellows and bite can be removed,
- inhale
- 2500ml or 4000ml available

Specifications:

- 1.Minimum vital capacity measurement:0cc
- 2.Maximum vital capacity measurement value:4000cc
- 3.Dimension:169x169x72 mm
- 4.Weight:0.135KG it is applicable for use in hospital, clinic and family.

Packing:

- Giftbox+ Plastic bag protect+ Instruction manual
- protect + Instruction manual
- Carton size: 40.5 X 36 X 68.4CM (30pcs/ carton)
- Gross Weight: 5.0KG
- 1 X 20"FT Container : 8400pcs

**Model No. : BR-MN199****Product Name:**Mesh Ultrasonic Nebulizer**Features:**

- Microporous design , small particle size , more effective
- Fast nebulizer speed , and less drug residua
- Compact and lightweight, easy to carry
- Built-in lithium battery
- Two speed switches adjustment

Specifications:

- 1.Input Power :Built-in Lithium battery:DC3.7V,1200mAh
Charging mode: DC 5 V; 1A
- 2.Ultrasonic working frequency: 103kHz±10%
- 3.Max Capacity of Medicine cup: 10mL(cc)
- 4.Nebulization rate: Low: 0.15-0.3mL/min High: ≥ 0.3 mL/min
- 5.Noise: ≤40 dB(A) (at 1 meter distance)
- 6.MMAD: 1.0~4.0 μm
- 7.Unit Size: 46 x 43 x 117 MM
- 8.Unit Weight: 0.088 KG

Packing:

- Giftbox + Instruction manual
- Gift Box: 17.9x16.4x7.2CM
- Carton size: 67x20x39.5CM(20pcs/ carton)
- Gross Weight:2.5KG
- 1 X 20"FT Container :10600pcs



Model No. : BR-CN171

Product Name:Compressor Nebulizer

Features:

- Cartoon design, lovely and attractive by all Children
- Help the children relax during treatment
- Operation smoothly and quietly
- Effective medication delivery

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 196x172x225 MM
- 13.Unit Weight: 1.45 KG
- 14.Operation Condition: +5°C to +40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C ,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 38.2x38.2x50.4 CM (8pcs/carton)
- Net Weight: 14.5 KGS Gross Weight: 15.2 KGS
- 1 x 20" FT Container: 3040 pcs



Model No. : BR-CN001

Product Name:Compressor Nebulizer

Features:

- Adorable, Cute, Child-friendly design
- One button easy operation
- Effective medication delivery
- First choice, ideal for all children
- Bright color available (Green, Orange,Pink, Brown)

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 230x150x190 MM
- 13.Unit Weight: 1.37 KG
- 14.Operation Condition: +5°C to +40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C ,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 56.5x22.5x46.5 CM (8pcs/carton)
- Net Weight: 10.3 KGS Gross Weight: 11.13KGS
- 1 x 20" FT Container: 2850 pcs



Model No. : BR-CN161

Product Name:Compressor Nebulizer

Features:

- Cartoon design, lovely and attractive by all Children
- Help the children relax during treatment
- Operation smoothly and quietly
- Effective medication delivery

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 239x180x105 MM
- 13.Unit Weight: 1.37 KG
- 14.Operation Condition: +5°C to +40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C ,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 50x27.5x40CM (8pcs/carton)
- Net Weight: 11.4 KGS Gross Weight: 12.3 KGS
- 1 x 20" FT Container: 4080 pcs



Model No. : BR-CN183

Product Name:Compressor Nebulizer

Features:

- Cartoon design, lovely and attractive by all Children
- Help the children relax during treatment
- Operation smoothly and quietly
- Effective medication delivery

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 250x118x175 MM
- 13.Unit Weight: 1.4 KG
- 14.Operation Condition: +5°C to +40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C ,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 41.2x39.2x50.4 CM (8pcs/carton)
- Net Weight: 14.3 KGS Gross Weight: 15.0 KGS
- 1 x 20" FT Container: 2800 pcs

Product display

Product display

Model No. : BR-CN191**Product Name:Compressor Nebulizer****Features:**

- Efficient respiratory therapy
- Ideal for all ages, personal home care
- Operates smoothly and quietly
- Reliable pressure and air flow.

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 147x147x95 MM
- 13.Unit Weight: 1.2 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C, 10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 42x24x50 CM (8pcs/carton)
- Net Weight: 10.4 KGS Gross Weight: 11.0 KGS
- 1 x 20" FT Container: 5600 pcs

**Model No. : BR-CN116****Product Name:Compressor Nebulizer****Features:**

- Small size,lightweight and efficient therapy
- Ideal for all ages
- Japan Quality Standard
- CE/INMETRO/ GOST/ FDA approved
- Color available: White/ Blue/Green/ Disney color
- Carry bag (optional)
- Connection cable (optional)

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 150x140x90 MM
- 13.Unit Weight: 1.2 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C, 10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 60x19x35 CM (8pcs/carton)
- Net Weight: 12.7 KGS Gross Weight: 13.3 KGS
- 1 x 20" FT Container: 5600 pcs

**Model No. : BR-CN211****Product Name:Compressor Nebulizer****Features:**

- Efficient respiratory therapy
- Ideal for all ages, personal home care
- Operates smoothly and quietly
- Reliable pressure and air flow

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 170x150x95 MM
- 13.Unit Weight: 1.5 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C, 10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 56.5x25.5x46.5 CM (8pcs/carton)
- Net Weight: 19.56 KGS Gross Weight: 20.64 KGS
- 1 x 20" FT Container: 5340 pcs

**Model No. : BR-CN176****Product Name:Compressor Nebulizer****Features:**

- Efficient respiratory therapy
- Ideal for all ages, personal home care
- Hot selling with competitive price
- Operates smoothly and quietly
- Reliable pressure and air flow.
- 20mm or 25mm stator optional

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 153x123x87 MM
- 13.Unit Weight: 1.23 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C, 10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 33.5x21.5x48.5 CM (8pcs/carton)
- Net Weight: 10.38 KGS Gross Weight: 10.98 KGS
- 1 x 20" FT Container: 6400 pcs



Model No. : BR-CN126

Product Name:Compressor Nebulizer

Features:

- Efficient respiratory therapy
- Hot selling with competitive price
- Operates smoothly and quietly
- Reliable pressure and airflow
- Color available : White +Blue/ Orange+White

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 140 x 130 x 85 MM
- 13.Unit Weight: 1.2 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C ,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 41.5 x 23.5 x 33.5 CM (8pcs/carton)
- Net Weight: 11.36 KGS Gross Weight: 11.8 KGS
- 1 x 20" FT Container: 6800 pcs



Model No. : BR-CN195

Product Name:Compressor Nebulizer

Features:

- Efficient respiratory therapy
- Ideal for all ages, personal home care
- Hot selling with competitive price
- Operates smoothly and quietly
- Reliable pressure and air flow
- Color available : Grey+White/ Blue+White

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 145x142x90 MM
- 13.Unit Weight: 1.16 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C ,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 48.5x23.5x45.5 CM (8pcs/carton)
- Net Weight: 11.6 KGS Gross Weight: 12.5 KGS
- 1 x 20" FT Container: 5600 pcs

Model No. : BR-CN188

Product Name:Compressor Nebulizer

Features:

- Efficient respiratory therapy
- Ideal for all ages, personal home care
- Hot selling with competitive price
- Operates smoothly and quietly
- Reliable pressure and air flow

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 162x160x91 MM
- 13.Unit Weight: 1.28 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C ,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 51.5x18.5x33 CM (8pcs/carton)
- Net Weight: 7.68 KGS Gross Weight: 8.0 KGS
- 1 x 20" FT Container: 5340 pcs



Model No. : BR-CN143

Product Name:Compressor Nebulizer

Features:

- Efficient respiratory therapy
- Ideal for all ages, personal home care
- Hot selling with competitive price
- Operates smoothly and quietly
- Reliable pressure and air flow
- Ball bearing piston system enhances life time reliability
- Color available : White+Blue/ Yellow +black

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 220x165x90 MM
- 13.Unit Weight: 1.13 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C ,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 42x24x50CM (8pcs/carton)
- Net Weight: 12.3 KGS Gross Weight: 13.1 KGS
- 1 x 20" FT Container: 4500 pcs



Model No. : BR-CN118

Product Name:Compressor Nebulizer

Features:

- Perfect in craftsmanship with high level quality
- Attractive design, Ideal for all ages
- Two compartment for keeping nebulizer kits and power cord
- Powerful and high quality motor assure the life time
- Color available: Blue /Green /Pink
- Latex free

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 280x165x90 MM
- 13.Unit Weight: 1.45 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 40x31x51 CM (8pcs/carton)
- Net Weight: 14.7 KGS Gross Weight: 15.3 KGS
- 1 x 20" FT Container: 3720 pcs



Model No. : BR-CN003

Product Name:Compressor Nebulizer

Features:

- Easy carry with handle
- One button easy operation
- Effective medication delivery
- Ball bearing piston, working life >3,000 hours
- Ideal for all ages
- Color available: Blue/ Green/ Pink/ Yellow

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 270x220x110 MM
- 13.Unit Weight: 1.35 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 36x31.5x43.5 CM (6pcs/carton)
- Net Weight: 10.7 KGS Gross Weight: 11.4 KGS
- 1 x 20" FT Container: 3400 pcs



Model No. : BR-CN136

Product Name:Compressor Nebulizer

Features:

- Adjustable button can control the high or low mist
- Nice design with flip lid
- Operation smoothly and quietly
- Effective medication delivery

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 270x160x97 MM
- 13.Unit Weight: 1.48 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 44x32.5x37 CM (8pcs/carton)
- Net Weight: 13.96 KGS Gross Weight: 14.62 KGS
- 1 x 20" FT Container: 4200 pcs



Model No. : BR-CN152

Product Name:Compressor Nebulizer

Features:

- Attractive design, Ideal for all ages
- Two compartment for keeping nebulizer kits and power cord
- Powerful and high quality motor assure the life time
- 25mm stator

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size:295x167x95 MM
- 13.Unit Weight: 1.47 KG
- 14.Operation Condition: +5°C to + 40°C , 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20°C~60°C,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 40x31x51 CM (8pcs/carton)
- Net Weight: 14.3 KGS Gross Weight: 15.0 KGS
- 1 x 20" FT Container: 4200 pcs

Product display

Product display

Model No. : BR-CN166

Product Name:Compressor Nebulizer

Features:

- Adjustable button can control the high or low mist
- Attractive design, Ideal for all ages
- Operation smoothly and quietly
- Effective medication delivery

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥ 35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size:210x131x100 MM
- 13.Unit Weight: 1.50 KG
- 14.Operation Condition: +5°C to + 40°C, 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20 C~60 C,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 44.5x29.5x30 CM (8pcs/carton)
- Net Weight: 12.19 KGS Gross Weight: 12.76KGS
- 1 x 20" FT Container: 5800 pcs



Model No. : BR-CN133

Product Name:Compressor Nebulizer

Features:

- Efficient respiratory therapy
- Reliable pressure and air flow
- Cartoon design, lovely and attractive by all Children
- Help the children relax during treatment

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥ 35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 220x190x150 MM
- 13.Unit Weight: 1.6 KG
- 14.Operation Condition: +5°C to + 40°C, 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20 C~60 C,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 52.2x31.6x63.2 CM (8pcs/carton)
- Net Weight: 12.3 KGS Gross Weight: 13.25KGS
- 1 x 20" FT Container: 5600 pcs



Model No. : BR-CN168

Product Name:Compressor Nebulizer

Features:

- Attractive design, Ideal for all ages
- Two compartment for keeping nebulizer kits and power cord
- Powerful and high quality motor assure the life time
- 25mm or 35mm stator optional.

Specifications:

- 1.Power: AC 230 V-50Hz or 120V -60Hz
- 2.Input Power: 160VAor 180VA Max
- 3.Rate Current: 0.7A or 1.5A
- 4.Max Capacity of Medicine cup: 6mL(cc)
- 5.Nebulization Rate: 0.2mL/min~0.6mL/min
- 6.Mode of Operation:continuous
- 7.Max Pressure: ≥ 35 psi(241kPa)
- 8.Operation Pressure Range: 9-16 psi (62-110kPa)
- 9.Liter Operation flow: 5-8 LPM
- 10.Noise: ≤58 dB(A) (at 1 meter distance)
- 11.MMAD: 1.78±0.4µm
- 12.Unit Size: 285x180x116 MM
- 13.Unit Weight: 1.75 KG
- 14.Operation Condition: +5°C to + 40°C, 30% R.H. to 85% R.H.
- 15.Operating atmospheric pressure: 70kPa~106kPa
- 16.Transportation and storage conditions: -20 C~60 C,10%R.H.~93%R.H.

Packing:

- Color giftbox+ sponge inner support+ Instruction manual
- Carton size: 41x31.5x42 CM (6pcs/carton)
- Net Weight: 11.8 KGS Gross Weight: 12.6 KGS
- 1 x 20" FT Container: 3140 pcs



Model No. : BR-NW001

Product Name:Nasal wash

Features:

- Quickly relieve nasal discomfort
- Delicate without hurting the nose or irritating
- Deeply clean the nasal cavity
- Simple operation and convenient storage
- A variety of styles to choose

Specifications:

- 1.Product specifications:
- 2.Product size: 140 x 47 x 61mm
- 3.Product weight: 0.05KG
- 4.Scope of application: rhinitis, nasal congestion, etc.
- 5.Applicable people: applicable to all people
- 6.Storage method: storage at room temperature
- 7.Note: Must be used together with the atomizer

Packing:

- Instruction manual
- Carton size: 31.0x23.5x28.2CM(20pcs/ carton)
- Gross Weight:1.5KG
- 1 X 20" FT Container :27400pcs



Consumables



Consumables



Product display

Product display